



## Cambridge International AS & A Level

---

**COMPUTER SCIENCE**

**9618/13**

Paper 13 Theory Fundamentals

**May/June 2022**

MARK SCHEME

Maximum Mark: 75

---

**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

---

This document consists of **10** printed pages.



**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

**GENERIC MARKING PRINCIPLE 1:**

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

**GENERIC MARKING PRINCIPLE 2:**

Marks awarded are always **whole marks** (not half marks, or other fractions).

**GENERIC MARKING PRINCIPLE 3:**

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

**GENERIC MARKING PRINCIPLE 4:**

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

**GENERIC MARKING PRINCIPLE 6:**

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.



Question	Answer	Marks												
1(a)(i)	<p><b>1 mark</b> per point to <b>max 2</b></p> <ul style="list-style-type: none"> <li>• <b>All</b> of the characters/symbols that the computer can use/represent</li> <li>• Each character has a <b>unique</b> number/binary number/hexadecimal number</li> </ul>	<b>2</b>												
1(a)(ii)	<p><b>1 mark</b> for each character set to <b>max 2</b>, <b>1 mark</b> for difference</p> <ul style="list-style-type: none"> <li>• ASCII</li> <li>• Extended ASCII</li> <li>• UNICODE</li> <li>• ASCII has 7 bits whereas UNICODE has 16 bits</li> <li>• Extended ASCII has 8 bits whereas UNICODE has 16 bits</li> <li>• ASCII has 7 bits whereas extended ASCII has 8 bits</li> <li>• Unicode can represent more characters than ASCII/Extended// by example</li> <li>• Extended ASCII can represent more characters than ASCII</li> </ul>	<b>3</b>												
1(a)(iii)	<p><b>1 mark</b> per point to <b>max 2</b></p> <ul style="list-style-type: none"> <li>• Can use run-length encoding</li> <li>• Identifies groups of <b>repeated characters</b> ...</li> <li>• ... replaces them with a one copy of the character and the number of times it occurs</li> </ul>	<b>2</b>												
1(a)(iv)	<p><b>1 mark</b> per point to <b>max 2</b></p> <ul style="list-style-type: none"> <li>• None of the original data can be lost / deleted</li> <li>• The (text) file would be corrupted // the (text) file cannot be opened</li> </ul>	<b>2</b>												
1(b)	<p><b>1 mark</b> for each correct value</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Statement</th> <th style="text-align: center;">Answer</th> </tr> </thead> <tbody> <tr> <td>The hexadecimal value 11 represented in denary</td> <td style="text-align: center;">17</td> </tr> <tr> <td>The smallest denary number that be represented by an unsigned 8-bit binary integer</td> <td style="text-align: center;">0</td> </tr> <tr> <td>The denary number 87 represented in Binary Coded Decimal (BCD)</td> <td style="text-align: center;">1000 0111</td> </tr> <tr> <td>The denary number 240 represented in hexadecimal</td> <td style="text-align: center;">F0</td> </tr> <tr> <td>The denary number –20 represented in 8-bit two's complement binary</td> <td style="text-align: center;">1110 1100</td> </tr> </tbody> </table>	Statement	Answer	The hexadecimal value 11 represented in denary	17	The smallest denary number that be represented by an unsigned 8-bit binary integer	0	The denary number 87 represented in Binary Coded Decimal (BCD)	1000 0111	The denary number 240 represented in hexadecimal	F0	The denary number –20 represented in 8-bit two's complement binary	1110 1100	<b>5</b>
Statement	Answer													
The hexadecimal value 11 represented in denary	17													
The smallest denary number that be represented by an unsigned 8-bit binary integer	0													
The denary number 87 represented in Binary Coded Decimal (BCD)	1000 0111													
The denary number 240 represented in hexadecimal	F0													
The denary number –20 represented in 8-bit two's complement binary	1110 1100													

Question	Answer	Marks								
2(a)	<p><b>1 mark</b> for each correct description</p> <table border="1"> <thead> <tr> <th>Step</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><math>PC \leftarrow [PC] + 1</math></td> <td><b>Address</b> in PC is incremented</td> </tr> <tr> <td><math>MDR \leftarrow [[MAR]]</math></td> <td>The data in the address held in the MAR is copied to the MDR</td> </tr> <tr> <td><math>MAR \leftarrow [PC]</math></td> <td>The <b>contents</b> of the PC are copied to the MAR</td> </tr> </tbody> </table>	Step	Description	$PC \leftarrow [PC] + 1$	<b>Address</b> in PC is incremented	$MDR \leftarrow [[MAR]]$	The data in the address held in the MAR is copied to the MDR	$MAR \leftarrow [PC]$	The <b>contents</b> of the PC are copied to the MAR	<b>3</b>
Step	Description									
$PC \leftarrow [PC] + 1$	<b>Address</b> in PC is incremented									
$MDR \leftarrow [[MAR]]$	The data in the address held in the MAR is copied to the MDR									
$MAR \leftarrow [PC]$	The <b>contents</b> of the PC are copied to the MAR									
2(b)	<p><b>1 mark</b> per point to <b>max 5</b></p> <ul style="list-style-type: none"> <li>• Check for interrupt at start/end of an F-E cycle</li> <li>• Priority is checked</li> <li>• If lower priority than current process continue with F-E cycle</li> <li>• If higher priority than current process ...</li> <li>• ... state of current process is / registers are stored on stack</li> <li>• Location/type of interrupt identified</li> <li>• Appropriate ISR is called to handle the interrupt</li> <li>• When ISR finished, check for further interrupts (of higher priority) / return to step 1</li> <li>• Otherwise load data from stack and continue with next F-E cycle (of process)</li> </ul>	<b>5</b>								

Question	Answer	Marks								
3(a)	<p>1 mark for each correct value</p> <table border="1"> <thead> <tr> <th>Instruction</th> <th>Accumulator</th> </tr> </thead> <tbody> <tr> <td>LDM #103</td> <td>103</td> </tr> <tr> <td>LDD 102</td> <td>104</td> </tr> <tr> <td>LDI 103</td> <td>101</td> </tr> </tbody> </table>	Instruction	Accumulator	LDM #103	103	LDD 102	104	LDI 103	101	<b>3</b>
Instruction	Accumulator									
LDM #103	103									
LDD 102	104									
LDI 103	101									

Question	Answer	Marks												
3(b)	<p><b>1 mark</b> for group name, <b>1 mark</b> for appropriate description</p> <p>e.g.</p> <ul style="list-style-type: none"> <li>• Input and output of data</li> <li>• Takes an input from the user // outputs the character of the binary number</li> <li>• Arithmetic operations</li> <li>• Perform addition and subtraction</li> <li>• Unconditional and conditional instructions</li> <li>• Move to another instruction (identified by a label)</li> <li>• Compare instructions</li> <li>• Compare the result to another value</li> </ul>	<b>4</b>												
3(c)	<p><b>1 mark</b> for each correct line</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 50%;"><b>Instruction</b></th> <th style="text-align: right; width: 50%;"><b>Result</b></th> </tr> </thead> <tbody> <tr> <td style="border: 1px solid black; padding: 5px;">XOR 11110000</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">01111101</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px;">OR 01010101</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">00111101</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px;">AND 11111111</td> <td style="border: 1px solid black; padding: 5px; text-align: center;">11111111</td> </tr> <tr> <td></td> <td style="border: 1px solid black; padding: 5px; text-align: center;">11000010</td> </tr> <tr> <td></td> <td style="border: 1px solid black; padding: 5px; text-align: center;">11001101</td> </tr> </tbody> </table> <p><i>(Note: Lines connect XOR 11110000 to 11001101, OR 01010101 to 00111101, and AND 11111111 to 11111111)</i></p>	<b>Instruction</b>	<b>Result</b>	XOR 11110000	01111101	OR 01010101	00111101	AND 11111111	11111111		11000010		11001101	<b>3</b>
<b>Instruction</b>	<b>Result</b>													
XOR 11110000	01111101													
OR 01010101	00111101													
AND 11111111	11111111													
	11000010													
	11001101													

Question	Answer	Marks
4(a)	<p><b>1 mark</b> for identifying task, <b>max 2</b> for each description <b>Max 2</b> for only identifying tasks without descriptions</p> <p>e.g.</p> <ul style="list-style-type: none"> <li>• Memory management</li> <li>• Controls the movement of data between RAM, processor, VM etc</li> <li>• allocates memory to processes</li>   <li>• File management</li> <li>• Creates files/folders</li> <li>• Renames file/folders</li>   <li>• Security management</li> <li>• Creates accounts/passwords</li> <li>• Provide /upgrade firewall / anti-malware</li>   <li>• Hardware management</li> <li>• Receives data from input devices ///sends data to output device</li> <li>• Use of device drivers</li>   <li>• Process management</li> <li>• Decides which process to run next</li> <li>• supports multitasking</li> </ul>	<b>4</b>
4(b)(i)	<p><b>1 mark</b> per point to <b>max 2</b> for each</p> <p>Back-up</p> <ul style="list-style-type: none"> <li>• To make a copy of data <b>at regular intervals</b></li> <li>• So that if it is lost/corrupted it <b>can be retrieved</b></li> </ul> <p>Defragmentation</p> <ul style="list-style-type: none"> <li>• Make individual <b>files</b> occupy contiguous blocks // move free space together</li> <li>• Improve disk access times // Data/files can be loaded faster</li> </ul>	<b>4</b>
4(b)(ii)	<p><b>1 mark</b> from</p> <p>e.g.</p> <ul style="list-style-type: none"> <li>• Compression software</li> <li>• (Hard) disk formatter</li> <li>• Virus checker</li> <li>• Disk analysis software</li> <li>• Disk repair software</li> </ul>	<b>1</b>

Question	Answer	Marks
5(a)(i)	<b>1 mark</b> from <ul style="list-style-type: none"> <li>• To stop the data being lost / corrupted / amended</li> <li>• To make sure it can be recovered</li> <li>• To prevent unauthorised access</li> </ul>	<b>1</b>
5(a)(ii)	<b>1 mark</b> each e.g. <ul style="list-style-type: none"> <li>• Install / run a firewall</li> <li>• <b>Up to date</b> Anti-virus / anti-malware</li> <li>• (Username and) (strong) password</li> <li>• Encryption</li> <li>• Access rights</li> </ul>	<b>2</b>
5(b)(i)	<b>1 mark</b> each <ul style="list-style-type: none"> <li>• Visual check</li> <li>• <b>Manually</b> compare the data entered with the original (document)</li> <li>• Double entry</li> <li>• Enter the data twice and <b>the system</b> compares them to see if they are the same</li> </ul>	<b>2</b>
5(b)(ii)	<b>1 mark</b> each e.g. Range check: <ul style="list-style-type: none"> <li>• Make sure it is after and before a specific date // e.g. between 1900 and today's date // check month is between 1 and 12 // check day is between 1 and month end</li> </ul> Presence check: <ul style="list-style-type: none"> <li>• Make sure the date of birth has been entered</li> </ul> Length check: <ul style="list-style-type: none"> <li>• Make sure there are at least 1 for day, 1 for month, 2/4 for year // must be 8 characters</li> </ul>	<b>3</b>
5(b)(iii)	1 mark per bullet point to <b>max 2</b> <ul style="list-style-type: none"> <li>• Validation checks data is reasonable/within bounds it does not check that accurate data has been entered</li> <li>• Verification checks if the data matches the data given it does not check if the <b>original</b> data is accurate</li> </ul>	<b>2</b>



Question	Answer	Marks								
6(a)	<p><b>1 mark per point</b></p> <ul style="list-style-type: none"> <li>• Primary key <u>StaffID</u> in STAFF...</li> <li>• ...<b>links</b> to foreign key <u>staffID</u> in DEVICE</li> <li>• One staff member can have many devices</li> <li>• Each device can only be with one member of staff</li> </ul>	<b>4</b>								
6(b)(i)	<p><b>1 mark</b> for each correctly completed statement</p> <pre>SELECT COUNT(STAFF.StaffID) FROM STAFF INNER JOIN DEVICE ON STAFF.StaffId = DEVICE.StaffID WHERE STAFF.FirstName = "Ali" AND STAFF.LastName = "Khan";</pre>	<b>4</b>								
6(b)(ii)	<p><b>1 mark per bullet point</b></p> <ul style="list-style-type: none"> <li>• ALTER TABLE DEVICE</li> <li>• ADD <i>appropriate field name, appropriate data type</i></li> </ul> <p>e.g. ALTER TABLE DEVICE ADD Returned Boolean;</p>	<b>2</b>								
6(c)	<table border="1" data-bbox="316 1099 1305 1529"> <thead> <tr> <th data-bbox="316 1099 699 1167">Normal Form</th> <th data-bbox="699 1099 1305 1167">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 1167 699 1234">First Normal Form (1NF)</td> <td data-bbox="699 1167 1305 1234">No repeating groups or repeating attributes</td> </tr> <tr> <td data-bbox="316 1234 699 1361">Second Normal Form (2NF)</td> <td data-bbox="699 1234 1305 1361">All attributes must be <b>fully</b> dependant on the (composite) primary key // No partial dependencies</td> </tr> <tr> <td data-bbox="316 1361 699 1529">Third Normal Form (3NF)</td> <td data-bbox="699 1361 1305 1529">All attributes must be fully dependent on the primary key and no other attributes // no non-key dependencies // no transitive dependencies</td> </tr> </tbody> </table> <p><b>1 mark</b> for each correct description</p>	Normal Form	Description	First Normal Form (1NF)	No repeating groups or repeating attributes	Second Normal Form (2NF)	All attributes must be <b>fully</b> dependant on the (composite) primary key // No partial dependencies	Third Normal Form (3NF)	All attributes must be fully dependent on the primary key and no other attributes // no non-key dependencies // no transitive dependencies	<b>3</b>
Normal Form	Description									
First Normal Form (1NF)	No repeating groups or repeating attributes									
Second Normal Form (2NF)	All attributes must be <b>fully</b> dependant on the (composite) primary key // No partial dependencies									
Third Normal Form (3NF)	All attributes must be fully dependent on the primary key and no other attributes // no non-key dependencies // no transitive dependencies									



Question	Answer	Marks																																													
7(a)	<p><b>1 mark</b> for each section</p> <ul style="list-style-type: none"> <li>A AND B</li> <li>NOT C AND B // B AND NOT C</li> <li>XOR (with remainder correct and bracketed and nothing extra)</li> </ul> <p><math>X = (A \text{ AND } B) \text{ XOR } (\text{NOT } C \text{ AND } B)</math></p>	<b>3</b>																																													
7(b)	<p><b>1 mark</b> for first 4 rows, <b>1 mark</b> for second 4 rows (shaded)</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>Working space</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0</td> <td>0</td> <td></td> <td><b>1</b></td> </tr> <tr> <td>0</td> <td>0</td> <td>1</td> <td></td> <td><b>1</b></td> </tr> <tr> <td>0</td> <td>1</td> <td>0</td> <td></td> <td><b>1</b></td> </tr> <tr> <td>0</td> <td>1</td> <td>1</td> <td></td> <td><b>1</b></td> </tr> <tr> <td>1</td> <td>0</td> <td>0</td> <td></td> <td><b>1</b></td> </tr> <tr> <td>1</td> <td>0</td> <td>1</td> <td></td> <td><b>1</b></td> </tr> <tr> <td>1</td> <td>1</td> <td>0</td> <td></td> <td><b>1</b></td> </tr> <tr> <td>1</td> <td>1</td> <td>1</td> <td></td> <td><b>0</b></td> </tr> </tbody> </table>	A	B	C	Working space	X	0	0	0		<b>1</b>	0	0	1		<b>1</b>	0	1	0		<b>1</b>	0	1	1		<b>1</b>	1	0	0		<b>1</b>	1	0	1		<b>1</b>	1	1	0		<b>1</b>	1	1	1		<b>0</b>	<b>2</b>
A	B	C	Working space	X																																											
0	0	0		<b>1</b>																																											
0	0	1		<b>1</b>																																											
0	1	0		<b>1</b>																																											
0	1	1		<b>1</b>																																											
1	0	0		<b>1</b>																																											
1	0	1		<b>1</b>																																											
1	1	0		<b>1</b>																																											
1	1	1		<b>0</b>																																											

Question	Answer	Marks
8(a)	Accessing a service/files/software on a remote <b>server</b>	<b>1</b>
8(b)	<p><b>1 mark</b> each from:</p> <p>Public e.g.</p> <ul style="list-style-type: none"> <li>Computing services offered by 3rd party provider over the public Internet</li> <li>Public is open/available to anyone with the appropriate equipment/software/credentials</li> </ul> <p>Private e.g.</p> <ul style="list-style-type: none"> <li>Computing services offered either over the Internet or a private internal network</li> <li>Only available to select users not the general public</li> <li>Private is a dedicated/bespoke system only accessible for/from the organisation</li> </ul>	<b>2</b>

Question	Answer	Marks
8(c)	<p><b>1 mark</b> for each benefit to <b>max 2</b></p> <p>e.g.</p> <ul style="list-style-type: none"><li>• Can be accessed anywhere <b>with Internet access</b></li><li>• Do not need to install security // security might be better</li><li>• Do not need to perform backups</li><li>• Do not need to buy specific software/hardware</li><li>• Can easily share documents</li><li>• Can have multiple people working on the same document</li></ul> <p><b>1 mark</b> for drawback</p> <p>e.g.</p> <ul style="list-style-type: none"><li>• You cannot access it if no internet access</li><li>• Reliant on someone else to backup</li><li>• Reliant on someone else for security // <b>can have</b> poorer security</li><li>• Cannot access if server goes down</li></ul>	<b>3</b>

