

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

--	--	--	--	--

--	--	--	--	--

## Pearson Edexcel International Advanced Level

Time 1 hour 20 minutes

Paper  
reference

**WPH13/01**



### Physics

International Advanced Subsidiary/Advanced Level

**UNIT 3: Practical Skills in Physics I**

**You must have:**

Scientific calculator, ruler

Total Marks

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- **Show all your working out** in calculations and **include units** where appropriate.

### Information

- The total mark for this paper is 50.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.
- The list of data, formulae and relationships is printed at the end of this booklet.

### Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P67156A

©2021 Pearson Education Ltd.

E:1/1/1/1/



Pearson

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**




P 6 7 1 5 6 A 0 2 2 0



**Answer ALL questions.**

- 1 A student investigated the behaviour of a thermistor using the circuit shown in the diagram.



She heated the thermistor to 100 °C and measured the potential difference  $V$  across it. She decreased the temperature  $\theta$  and recorded further measurements of  $V$  and  $\theta$  until the temperature reached 10 °C.

- (a) Describe how the student was able to vary the temperature  $\theta$  of the thermistor for this investigation.

(2)



(Source: PAL)

Calculate the percentage uncertainty in the value of  $V$  shown.

(2)


Percentage uncertainty = .....



P 6 7 1 5 6 A 0 3 2 0



(c) The student plotted a graph of her measurements of  $V$  and  $\theta$ .



(i) Estimate the value of  $V$  for a temperature of  $0^\circ\text{C}$ .

(2)

(ii) Calculate the resistance of the thermistor at a temperature of  $0^\circ\text{C}$ .

(3)

Resistance = .....



- (d) The student suggested that  $V$  is inversely proportional to temperature measured in kelvin.

Determine whether she is correct.

(2)

**(Total for Question 1 = 11 marks)**



P 6 7 1 5 6 A 0 5 2 0




Turn over

- 2 A student investigated the reflection of microwaves from a metal plate and a glass plate.

The metal plate reflects microwaves and the glass plate partially reflects microwaves.

A plan view of the apparatus is shown.



The metal plate, the transmitter and the receiver were kept in fixed positions.

The value of  $d$  was varied by moving the glass plate.

- (a) As  $d$  varied, the intensity of the microwaves detected by the receiver varied.

Explain why.

(3)



- (b) The student recorded values of  $d$  when the receiver showed a maximum value of intensity.

He recorded  $d$  for a sequence of five maxima.

Maxima	1	2	3	4	5
$d$ / cm	9.9	11.1	12.7	13.9	15.4

- (i) Determine the wavelength of the microwaves being transmitted.

(3)

Wavelength = .....

- (ii) Calculate the frequency of the microwaves being transmitted.

(2)

Frequency = .....

**(Total for Question 2 = 8 marks)**



- 3 A student was asked to investigate the ultimate tensile stress of a sample of thin nylon fishing line.

- (a) Describe a method to determine the maximum force the nylon fishing line can withstand before breaking.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Identify one safety issue with this investigation and how it may be dealt with.

(2)

.....

.....

.....

.....

.....

.....

.....

.....



- (c) Before testing, the student measured the diameter at five points along the sample of nylon fishing line.

0.55 mm

0.57 mm

0.54 mm

0.55 mm

0.53 mm

- (i) Calculate the percentage uncertainty in the mean diameter of the nylon fishing line.

(3)

.....  
.....  
.....  
.....  
.....  
Percentage uncertainty = .....



P 6 7 1 5 6 A 0 9 2 0



Turn over

- (ii) The student read an article that suggested nylon fishing line can absorb water.

The article suggested that the ultimate tensile stress of nylon decreases by 10% after absorbing water.

She repeated her experiment, using new samples of fishing line before and after they absorbed water.

Sample	Maximum force / N	Diameter / mm
Before	65.8	0.45
After	57.8	0.46

Evaluate whether her results support the suggestion in the article.

(5)

**(Total for Question 3 = 14 marks)**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


**BLANK PAGE**



*Turn over*

- 4 A student slid a small metal cube down a frictionless ramp. The cube collided with a fixed metal block at the bottom of the ramp.

The student released the cube from position X as shown in the diagram. After the collision, the cube rebounded to position Y.



The student measured heights  $h$  and  $r$ . He then repeated the experiment using several different starting positions.

- (a) The student recorded his results in the table below.

$h / \text{m}$	$r / \text{m}$
0.20	0.11
0.25	0.137
0.30	0.16
0.35	0.19
0.40	0.217
0.45	0.24

- (i) Criticise these results.

(2)


- (ii) Plot a graph of  $r$  on the  $y$ -axis and  $h$  on the  $x$ -axis.

(5)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 7 1 5 6 A 0 1 3 2 0



13  
Turn over

- (b) (i) Show that the velocity  $u$  of the cube immediately before the collision is given by

$$u = \sqrt{2gh}$$

(2)

- (ii) The coefficient of restitution  $e$  is given by the equation

$$e = \frac{v}{u}$$

where  $v$  is the velocity of the cube immediately after the collision.

Explain why the gradient of the graph is  $e^2$ .

(3)

- (c) The student researched the range of values for the coefficients of restitution  $e$  of different metals.

stainless steel	$0.63 < e < 0.93$
cast iron	$0.3 < e < 0.6$

Determine which of these metals the cube could be made from.

(3)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- (d) Explain how friction between the cube and the surface of the ramp would affect the value obtained for  $e$ .

(2)

**(Total for Question 4 = 17 marks)**

**TOTAL FOR PAPER = 50 MARKS**



P 6 7 1 5 6 A 0 1 5 2 0

## List of data, formulae and relationships

Acceleration of free fall	$g = 9.81 \text{ m s}^{-2}$	(close to Earth's surface)
Boltzmann constant	$k = 1.38 \times 10^{-23} \text{ J K}^{-1}$	
Electron charge	$e = -1.60 \times 10^{-19} \text{ C}$	
Electron mass	$m_e = 9.11 \times 10^{-31} \text{ kg}$	
Electronvolt	$1 \text{ eV} = 1.60 \times 10^{-19} \text{ J}$	
Gravitational constant	$G = 6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$	
Gravitational field strength	$g = 9.81 \text{ N kg}^{-1}$	(close to Earth's surface)
Permittivity of free space	$\epsilon_0 = 8.85 \times 10^{-12} \text{ F m}^{-1}$	
Coulomb's law constant	$k = 1/4\pi\epsilon_0$ $= 8.99 \times 10^9 \text{ N m}^2 \text{ C}^{-2}$	
Planck constant	$h = 6.63 \times 10^{-34} \text{ J s}$	
Proton mass	$m_p = 1.67 \times 10^{-27} \text{ kg}$	
Speed of light in a vacuum	$c = 3.00 \times 10^8 \text{ m s}^{-1}$	
Stefan-Boltzmann constant	$\sigma = 5.67 \times 10^{-8} \text{ W m}^{-2} \text{ K}^{-4}$	
Unified atomic mass unit	$u = 1.66 \times 10^{-27} \text{ kg}$	

### Unit 1

#### Mechanics

Kinematic equations of motion

$$s = \frac{(u + v)t}{2}$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^2$$

$$v^2 = u^2 + 2as$$

Forces

$$\Sigma F = ma$$

$$g = \frac{F}{m}$$

$$W = mg$$

Momentum

$$p = mv$$

Moment of force

$$\text{moment} = Fx$$

Work and energy

$$\Delta W = F\Delta s$$

$$E_k = \frac{1}{2}mv^2$$

$$\Delta E_{\text{grav}} = mg\Delta h$$

Power

$$P = \frac{E}{t}$$

$$P = \frac{W}{t}$$



**Efficiency**

$$\text{efficiency} = \frac{\text{useful energy output}}{\text{total energy input}}$$

$$\text{efficiency} = \frac{\text{useful power output}}{\text{total power input}}$$

**Materials****Density**

$$\rho = \frac{m}{V}$$

**Stokes' law**

$$F = 6\pi\eta rv$$

**Hooke's law**

$$\Delta F = k\Delta x$$

**Elastic strain energy**

$$\Delta E_{\text{el}} = \frac{1}{2} F \Delta x$$

**Young modulus**

$$E = \frac{\sigma}{\varepsilon} \text{ where}$$

$$\text{Stress } \sigma = \frac{F}{A}$$

$$\text{Strain } \varepsilon = \frac{\Delta x}{x}$$



P 6 7 1 5 6 A 0 1 7 2 0



Turn over

**Unit 2****Waves**

Wave speed

$$v = f\lambda$$

Speed of a transverse wave  
on a string

$$v = \sqrt{\frac{T}{\mu}}$$

Intensity of radiation

$$I = \frac{P}{A}$$

Refractive index

$$n_1 \sin \theta_1 = n_2 \sin \theta_2$$

$$n = \frac{c}{v}$$

Critical angle

$$\sin C = \frac{1}{n}$$

Diffraction grating

$$n\lambda = d \sin \theta$$

**Electricity**

Potential difference

$$V = \frac{W}{Q}$$

Resistance

$$R = \frac{V}{I}$$

Electrical power, energy

$$P = VI$$

$$P = I^2 R$$

$$P = \frac{V^2}{R}$$

$$W = VIt$$

Resistivity

$$R = \frac{\rho l}{A}$$

Current

$$I = \frac{\Delta Q}{\Delta t}$$

$$I = nqvA$$

Resistors in series

$$R = R_1 + R_2 + R_3$$

Resistors in parallel

$$\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3}$$

**Particle nature of light**

Photon model

$$E = hf$$

Einstein's photoelectric  
equation

$$hf = \phi + \frac{1}{2}mv_{\max}^2$$

de Broglie wavelength

$$\lambda = \frac{h}{p}$$



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

